المؤتمر الحولى السادس لإتحاد النحاليان العارب

Pyrethroid Resistant Varroa mites found in Tunisia

Taoufik Ben Hamida* and Abbès Saidi**

- * Parasitology laboratory, Institut de la Recherche Vétérinaire de Tunisie, Ministère de l'Agriculture, 20, Rue Jebel Lakhdhar, 1006 Tunis
- ** Office de l'Elevage et des pâturages, Station d'Apiculture de la Mraissa,8020 Soliman

Varroa destructor Anderson and Trueman 2000 was introduced into Tunisia in 1978 through the importation of bee colonies from Romania and caused heavy losses to the beekeeping sector. It was necessary to await the end of the Eighties to arrive to a satisfying control of this parasitosis. Currently, two varroacides are authorised in Tunisia for treatment of varroosis - Apistan® (pyrethroid) and Apivar (formamidine). In recent years, resistance to synthetic pyrethroid acaricides has become a major problem in the control of Varroa destructor Anderson and Trueman in many parts of the world. Using a simple field test, the Pettis or Beltsville Test, we wanted to confirm the observations of alert beekeepers having announced a worrying fall of activity of Apistan®. Bees were sampled from apiaries coming from different areas and the results show that the phenomenon of resistance to tau-fluvalinate, the active ingredient of Apistan®, is largely widespread with surprising levels. The misuse of the product is to be accused initially.

